

PODPORA POCIANIJI-POPCHNIJI MOD. A2

ROZBUDOW (La)	PTS 3000 A2			PTS 3500 A2			PTS 4000 A2			PTS 4500 A2			PTS 5000 A2		
	Kompresja		Trakcja	Kompresja		Trakcja	Kompresja		Trakcja	Kompresja		Trakcja	Kompresja		Trakcja
	Ph (kN)	Pa (kN)	Pz (kN)	Ph (kN)	Pa (kN)	Pz (kN)	Ph (kN)	Pa (kN)	Pz (kN)	Ph (kN)	Pa (kN)	Pz (kN)	Ph (kN)	Pa (kN)	Pz (kN)
5,00													2,42	4,84	36,70
4,90													2,55	5,11	36,70
4,80													2,70	5,41	36,70
4,70													2,87	5,73	36,70
4,60													3,05	6,09	36,70
4,50										2,90	5,80	36,70	3,24	6,49	36,70
4,40										3,08	6,15	36,70	3,46	6,93	36,70
4,30										3,27	6,55	36,70	3,71	7,41	36,70
4,20										3,49	6,98	36,70	3,98	7,96	36,70
4,10										3,73	7,45	36,70	4,29	8,58	36,70
4,00							3,65	7,29	36,70	3,99	7,98	36,70	4,64	9,28	36,70
3,90							3,89	7,79	36,70	4,28	8,57	36,70	5,04	10,09	36,70
3,80							4,17	8,33	36,70	4,61	9,23	36,70	5,51	11,02	36,70
3,70							4,47	8,94	36,70	4,99	9,97	36,70	6,06	12,12	36,70
3,60							4,81	9,62	36,70	5,41	10,83	36,70	6,71	13,42	36,70
3,50				4,70	9,39	36,70	5,19	10,38	36,70	5,91	11,81	36,70	7,47	14,95	36,70
3,40				5,06	10,13	36,70	5,62	11,24	36,70	6,48	12,96	36,70	8,34	16,69	36,70
3,30				5,47	10,95	36,70	6,11	12,22	36,70	7,16	14,32	36,70	9,21	18,43	36,70
3,20				5,94	11,88	36,70	6,67	13,34	36,70	7,99	15,98	36,70	9,89	19,77	36,70
3,10				6,47	12,93	36,70	7,32	14,65	36,70	9,01	18,02	36,70	10,33	20,65	36,70
3,00	6,51	13,03	36,70	7,07	14,14	36,70	8,10	16,20	36,70	10,30	20,60	36,70	10,65	21,31	36,70
2,90	7,12	14,25	36,70	7,76	15,53	36,70	9,03	18,07	36,70	11,94	23,88	36,70	10,96	21,91	36,70
2,80	7,83	15,65	36,70	8,57	17,15	36,70	10,19	20,39	36,70	13,66	27,33	36,70			
2,70	8,64	17,28	36,70	9,53	19,07	36,70	11,69	23,37	36,70	14,65	29,30	36,70			
2,60	9,59	19,19	36,70	10,69	21,38	36,70	13,71	27,42	36,70	15,25	30,50	36,70			
2,50	10,73	21,45	36,70	12,12	24,25	36,70	16,64	33,29	36,70						
2,40	12,09	24,19	36,70	13,96	27,92	36,70	18,35	36,70	36,70						
2,30	13,79	27,58	36,70	16,42	32,84	36,70									
2,20	15,95	31,90	36,70	18,35	36,70	36,70									
2,10	18,35	36,70	36,70	18,35	36,70	36,70									
2,00	18,35	36,70	36,70												
1,90	18,35	36,70	36,70												
1,80	18,35	36,70	36,70												

Współczynnik bezpieczeństwa: 2

